Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



60,0

WHOLESALE PRICE LIST

FOR NURSERYMEN ONLY LIBRAR SEPTEMBER - 1928

RECEIVED - JAN 29 1928 +



ESTABLISHED 1878

Leonard Coates Nurseries

INCORPORATED

Wholesale Growers

EVERGREEN AND DECIDUOUS ORNAMENTALS -CONIFERS — LINING-OUT STOCK — ROSE STOCKS BUDDED FRUIT TREES — FRUIT TREE SEEDLINGS

Nurseries at MORGAN HILL — SANTA CRUZ — BRENTWOOD Main Office

> San Jose . California

MEMBER CALIFORNIA ASSOCIATION OF NURSERYMEN PACIFIC COAST ASSOCIATION OF NURSERYMEN

Terms and Conditions of Sale

Please Read Carefully

- VISIT OUR NURSERIES, where will be found beautiful, healthy stock, grown under ideal conditions. We grow at Morgan Hill, Santa Cruz and Brentwood, where we can produce the best stock, free from serious pests and diseases.
- TERMS—All prices quoted are net. Five per cent (5%) discount for cash with order. All bills due and payable 30 days from date of invoice unless otherwise arranged. Remittance or references must accompany orders from unknown correspondents.
- ALL ORDERS are accepted subject to cancellation or change, on account of prior sale, depletion of stock, or other conditions beyond our control. All shipments are sent at purchaser's risk. This list cancels all previous quotations. Prices on application for stock not listed.
- CLAIMS of any kind will not be allowed unless reported within 10 days after receipt of goods.
- PACKING is done in the most careful way and a charge is made to cover cost of material only.
- STOCK quoted in this list will be furnished 5 at 10 rate and 50 at 100 rate.
- CONTRACTS for growing ornamentals, lining out stock, FRUIT TREE SEEDLINGS, budded trees and rose stocks are solicited.
- NATIVE CALIFORNIA TREES AND SHRUBS are in demand. Our Nurseries are headquarters for this class of stock, and for your convenience they are marked with an (*) in this list.
- GUARANTY—While we exercise the greatest care to have all stock true to name, we give no warranty, expressed or implied, and in event that stock is proven not true to name, we shall be liable only for the sum paid for such stock.
- DESCRIPTIVE CATALOG of fruit trees and ornamentals mailed on request.
- EXPLANATION OF ABBREVIATIONS—B., balled. B.R., bare roots. ft., feet. in., inches. P., pot. Qt., quart can. Gal., 1-gallon can. $2\frac{1}{2}$ g, $2\frac{1}{2}$ gallon can. 5g., 5-gallon can.

Leonard Coates Nurseries, Inc.

Established 1878

R. D. Hartman, Pres.

L. H. Durden, Secty.-Treas.

Marion E. Gregory, Mgr. Fruit Tree Dept.

Fruit and Nut Tree Department

For many years we have grown our fruit tree and ornamental Seedlings and Budded Fruit Trees near Brentwood, Contra Costa County, California. Experience has proven that we have here all the factors for the quality and quantity production of sturdy plants, with ideal fiberous root systems, which when transplanted develop into first class trees.

Our nurseries are free from injurous pests, our stock is clean and can be shipped to all parts of the world.

Our long experience in packing for near or distant points is your assurance that your stock will reach you in good condition.

SEEDLINGS

Our stock is grown from selected seed in well drained soil, which is sub-irrigated by a system at all times under perfect control.

We have no freezing weather to interfere with the proper growth and development of the trees, and our seedlings are freshly dug, carefully graded and packed for immediate shipment.

California seedlings grown in this location have proven the BEST for Pacific Coast or Eastern planting and as the Pioneer California Fruit Tree Seedling Growers, with 18 years experience, we are sure that a trial will convince you that we offer the BEST.

For best results plant clean, California grown seedlings, carefully graded and packed.

FRUIT TREE SEEDLINGS

				No. 2	
Apple Pe	r 1000)	\$10.00	\$ 8.00	\$
Cherry (Mahaleb)					
Cherry (Mazzard)Pe	r 1000	\$20.00	16.00	12.00	8.00
Peach	r 1000	15.00	12.00	8.00	
Pear (French)	r 1000	20.00	16.00	12.00	8.00
Pear (Calleryana) (Transplanted)Pe	r 1000		16.00	10.00	
Plum (Myrobolan)Pe	r 1000	12.00	10.00	8.00	6.00
Quince (Rooted Cuttings)	r 1000		16.00		

ROSE STOCKS Rooted

Manetti Per	1000	20.00—5-9 mm.
Multiflora Japonica Per	1000	15.00 12.00 8.00
Odorata Per	1000	20.00—5-9 mm.


ORNAMENTAL SEEDLINGS

Catalpa speciosa	 Per	1000	15.00	12.00	
	Per		15.00	12.00	10.00

Samples will be sent upon request.

The Japanese pear root has been largely responsible for Black-End, Yellowing conditions and "Apple" or Round Bartletts" It is also subject to Oak Root Fungus.

By using French Pear Seedlings for inarching, these conditions may be corrected.



COATES 1418 FRENCH PRUNE

BUDDED FRUIT TREES

NUT BEARING TREES

DODDED TROIT	INEES	
APRICOTS. 6 to 8 ft	10 rate 100 rate Each Each \$.35 \$.30	ALMONDS. 4 to 6 ft
4 to 6 ft	40 .35	WALNUT SEEDLINGS (No. Calif. Black) 4 to 6 ft
PEACHES. 6 to 8 ft	30 .25	SUB-TROPICAL FRUIT TREES
PLUMS. 6 to 8 ft	35 .30 .25	LOQUATS (Budded) 3 to 4 ft
proved French-A proven, pro able variety.) 6 to 8 ft	fit- 35 .30 .30 .25 40 .35	OLIVES. 5 to 6 ft

We specialize in large size trees for family orchards and have a large and desirable variety. Write for list of varieties and quantities available.

Ornamental Department

COMPEDE		10 rate 10 Each 1	u rate Each
CONIFERS		C. Japonica JAP. REDWOOD	
10 rate 100		5 to 6 ft. B2.25	2.00
ADJEC belowee DALCAM EID	Each	CUPRESSUS arizonica. ARIZONA	
ABIES balsamea. BALSAM FIR	ው 25	CYPRESS	
8 to 10 in. 4P\$.40 : A. firma. MOMI FIR	ود. م	10 to 14 in. Qt	.20
	2 5	2 to 3 ft. Gal	.30
	.35	3 to 4 ft. 5P	.35
CEDRUS atlantica. MT. AT-		4 to 6 ft. 5g 1.75	1.50
LAS CEDAR	0.5	4 to 6 ft. B	1.50
8 to 12 in. 5P	.35	6 to 8 ft. B	2.00
1 to 1½ ft. 5P	.45	C. bethami knightiana	
2 to 3 ft. B	1.25	3 to 4 ft. B	
3 to 4 ft. B	1.50	6 to 7 ft. B	
C. deodora. INDIAN or HIMA-		C. goveniana. Govern Cline	
LAYAN CEDAR	25	4 to 5 ft. B2.00	2.00
10 to 16 in. Qt	.25	5 to 6 ft. B	2.00
10 to 14 in. 4P	.30	6 to 7 ft. B	
1 to 1½ ft. 5P	.35	7 to 8 ft. B	
1½ to 2 ft. 6P	.40	* C. macrocarpa	
2 to 3 ft. B	1.50	MONTEREY CYPRESS	. 15
3 to 4 ft. B	2.00	1½ to 2 ft. Qt20	.15
4 to 5 ft. B	2.50	4 to 6 ft. B	1.50
C. libani. CEDAR OF		6 to 7 ft. B	2.00
LEBANON 40	25	C. sempervirens. ITALIAN CY-	
8 to 12 in. 4 P	.35	PRESS (Good Type)	40
2 to 3 ft. B		2½ to 3 ft. Gal	.40
3 to 4 ft. B		3 to 4 ft. Gal	.50 .75
4 to 5 ft. B		3 to 4 ft. B	1.00
	25	5 to 6 ft. B	1.25
10 to 14 in. Qt	.25	6 to 7 ft. B	1.75
10 to 12 in. B	.35 .65	JUNIPERUS excelsa stricta	1.75
10 to 12 iii. B	.75	GRECIAN JUNIPER	
C. lawsoniana. LAWSON	./3	1 to 1½ ft. B	.85
CYPRESS.		1½ to 2 ft. B	1.00
2 to 3 ft. B	1.15	J. virginiana RED CEDAR	1.00
3 to 4 ft. B	1.50	2 to 3 ft. B	
4 to 5 ft. B	1.75	3 to 4 ft. B	1.50
5 to 6 ft. B	1.75	*LIBOCEDRUS decurrens CALIF.	2.00
6 to 7 ft. B		INCENSE CEDAR	
C. lawsoniana alumi BLUE		10 to 14 in. 4P	.40
LAWSON CYPRESS		1½ to 2 ft. 5P	.50
3 to 4 ft. 5g		3 to 3½ ft. B	2.50
C nigifore mana		PICEA excelsa NORWAY SPRUCE	
1 to 1½ ft. 5P	.45	2 to 3 ft. B	1.75
1 to 1½ ft. 2½g		PINUS canariensis CANARY	
C. pisifera plumosa. PLUME		ISLAND PINE	
RETINOSPORA		2 to 2½ ft. Qt	.30
2 to 2½ ft. 2½g		4 to 5 ft. Gal	
1½ to 2 ft. B 1.75	1.50	2 to 3 ft. B	
CRYPTOMERIA elegans. PLUME		3 to 4 ft. B 1.85	
CRYPTOMERIA		P. mughus DWARF MUGO	
2 to 3 ft. B1.35		PINE	
3 to 4 ft. B1.85	1.60	1 to 1½ ft. B 1.50	1.25

	rate 10	0 rate Each		
P. pinea ITALIAN STONE	2404	Data	EVERGREEN TREES AN	ID
PINE				(D
6 to 10 in. 4P	40	.35	SHRUBS	
* P. radiata MONTEREY PINE			40 400	
12 to 14 in. 4P		.25	10 rate 100 Each	
1 to 1½ ft. Qt.		.30	ABELIA grandiflora	Datu
3 to 4 ft. B	1.50	1.25	1 to 1½ft. 4P	.25
5 to 6 ft. B		2.00	2 to 3 ft. 5P	.35
P. strobus WHITE PINE	00		4 to 5 ft. B	1.00
6 to 10 in 4P	40	.35	ACACIA armata. KANGAROO	
PODOCARPUS elongata FERN			THORN	
LEAF PINE			2 to 3 ft. Qt	.20
2 to 3 ft. B	1.50		4 to 5 ft. Gal	.40
PSEUDOTSUGA douglasi	. 1.00		5 to 6 ft. 5 g	. 10
DOUGLAS FIR			ACACIA baileyana	
8 to 12 in. 4P	10	.35		.30
5 to 6 ft. B	7.50	.55	2 to 2½ ft. Qt	.50
6 to 7 ft. B			4 to 5 ft. Gal	.65
	10.00		5 to 6 ft. Gal	.75
RETINOSPORA leptoclada	75	c=	5 to 6 ft. 2½g1.10	.90
14 to 18 in. B	/ 5	.65	6 to 7 ft. 2½g	1.10
1½ to 2 ft. B	90			1.10
R. squarrosa 16 to 18 in. B	00	.75	ACACIA baileyana purpurea	.65
	90	./5	2 to 3 ft. Gal	.85
*SEQUOIA sempervirens CALIF			_	.05
REDWOOD	2 -	0-	ACACIA cultriformis	
1 to 1½ ft. 4P	55	.25	KNIFE-BLADE ACACIA	2-
1½ to 2 ft. 5P	50	.40	2 to 3 ft. Qt	.25
1½ to 2 it. Qt.	45	.35	4 to 5 ft. Gal	.40
2 to 3 ft. Gal. & 6P		.50	ACACIA decurrens dealbata	
3 to 4 ft. B		1.25 1.75	SILVER WATTLE	2.
4 to 5 ft. B		2.25	3 to 4 ft. Qt30	.25
* S. s. glauca. BLUE REDWOO	2.30	2.23	5 to 6 ft. Gal	.40
(Grafted)	JD		8 to 10 ft. 5g	.85
6 to 8 ft. B	3.50		10 to 12 ft. 5 gl 1.25	1.00
			ACACIA decurrens mollis	
THUJA orientalis ARBORVIT			MOLLISSIMA	
2 to 3 ft. B			7 to 8 ft. Gal	.55
3 to 4 ft. B			10 to 12 ft. 5g 1.15	
T. orientalis aurea nana DWA			ACACIA longifolia floribunda	
GOLDEN ARBORVITAE	1(1		3 to 4 ft. Qt	.30
8 to 12 in. B	80	.70	5 to 6 ft. Gal	.45
12 to 15 in. B	1 15	.90	6 to 8 ft. Gal	.55
T. o. compacta. COMPACT	1.10	.,0	8 to 10 ft. 5g 1.15	1.00
ARBORVITAE			ACACIA melanoxylon. BLACK	
10 to 12 in. B	1.00		ACACIA	
1 to 1½ ft. B			2 to 3 ft. Qt	.25
T. o. meldensis	1.23		4 to 5 ft. Gal	.35
16 to 18 in. B	1 25	1.00	5 to 6 ft. Gal	.50
T. rosedale	1.20	1.00	8 to 10 ft. 5g 1.25	
14 to 18 in. 4P	.50	.40	ACACIA podalyriaefolia (NEW)	
1 to 1½ it. 2½g		.70	ROUND LEAF SILVER ACACLA	
16 to 18 in. B		.75	3 to 4 ft. Qt	.45
TSUGA canadensis COMMON			4 to 5 ft. Gal	.60
HEMLOCK			ACACIA pravissima SCREWPOD	
4 to 8 in. 4P	40	9=	ACACIA	
· 4 65 6 111. 4F		.35	2 to 3 ft. Qt	.30

10 rate			10 rat		
ACACIA pycnantha. (NEW)	Ea	cn	CASSIA artemesoides	E	acn
GOLDEN WATTLE			8 to 12 in. 4P	35	.30
2 to 3 ft. Qt	45	.35	CASSIA tomentosa		
3 to 4 ft. Qal		.45	1 to 1½ ft. 4P	35	.30
ACACIA verticillata STAR ACACI			CASUARINA stricta SHE OAK	00	.00
2 to 3 ft. Qt		.25	3 to 4 ft. Gal	15	
3 to 4 ft. Gal		.35	4 to 6 ft. 2½g		
ACANTHUS mollis				05	
1½ to 2 ft. 4P	30		*CEANOTHUS arboreus hybrida	40	.30
ADENOSTOMA fasciculatum	00		2 to 2½ ft. 4P * C. incanus WHITE THORN	40	.50
CHAMISE			1 to 1½ ft. 4P	40	.30
2 to 2½ ft. 4P	40		* C. spinosus	.70	.00
•	70		6 to 8 in. 3P	20	.15
AGATHEA coelestis BLUE			1 to 1½ ft. 4P	40	.10
MARGUERITE	20		2½ to 3 ft. ½g.	70	
8 to 14 in. 4P	20		* C. verrucosus	0	
*AGAVE americana			1 to 1½ ft. 4P	.30	.25
CENTURY PLANT	25		1½ to 2 ft. 4P	.35	.30
6 to 10 in. 4P			CERATONIA siliqua CAROB		
ALOE-SPOTTED 3P	25	.20	TREE		
ARBUTUS unedo			1 to 1½ ft. 4P	.30	.25
STRAWBERRY TREE		00	2 to 3 ft. 2½g		.50
3 to 4 ft. B (Bushy) 1.2.	5 1	.00	4 to 5 ft. 5g		
BERBERIS darwini			CHOISYA ternata		
DARWINS BARBERRY	a =	20	MEXICAN ORANGE	5 4	
1 to 1½ ft. 5P	35	.30	8 to 12 in. 4P	.35	.30
BERBERIS elegantissima			1 to 1½ ft. 5P	50	3 .40
10 to 14 in. 4P	30	.25	3 to 3½ ft. B (Bushy)	.15	.90
1½ to 2 ft. Gal		.35	CINNAMOMUM camphora		
2 to 3 ft. B	85		CAMPHOR TREE		,
BERBERIS knighti			3 to 3½ ft. Gal. (Branched)		.40
8 to 12 in. 4P		.30		.65	.55
1 to 1½ ft. 5P	50	.40	CISTUS ladaniferus maculatus		
BERBERIS stenophylla	2 -	or.	SPOTTED ROCK ROSE	۲0	
10 to 16 in. 4P	35 15	.25	2½ to 3 ft. 5P	.5U	
1/2 t0 2 ft, 3F	00 00	.35			.30
3 to 4 ft. 5g	.00		2 to 3 ft. 4P	.40	.00
1 to 11/4 ft 4P	30	.25	ROCK ROSE		
1 to 1½ ft. 4P 1½ to 2 ft. 5P	35	.30	1 to 1½ ft. 4P	.25	.20
1 to 1½ ft. B	60	.50	2 to 3 ft. Gal	.40	.30
2 to 3 ft. B		.75	COPROSMA baueri LOOKING		
BUDDLEIA globosa GLOBE			GLASS PLANT		
BUTTERFLY BUSH			1½ to 2 ft. 5P	.35	.30
3 to 4 ft. Gal	.50		2 to 3 ft. 2½g	.80	.70
BUDDLEIA davidi magnifica	_		2 to 2½ ft. B	.90	.75
OXEYE BUTTERFLY BUSH			CORDYLINE australis		
3 to 4 ft. Gal	.45		DRACENA PALM	0.5	
BUDDLEIA officinalis PALE			1 to 1½ ft. Qt		
BUTTERFLY BUSH	15	25	2 to 2½ ft. Gal.	.40	
3 to 4 ft. Gal	.43	.35	CORNUS capitata EVERGREEN DOGWOOD		
CALLISTEMON rigidus BOTTLE BRUSH			2 to 3 ft. 4P	35	.30
8 to 12 in. 4P	30	.25	CORONILLA glauca	.00	.00
2 to 3 ft. Qt	35	.30	1 to 1½ ft. 4P	.25	.20
CAREX GRASS variegated			CORREA japonica alba		
3P	.20	.15	1½ to 2½ ft. 4P	.40	.30

	10 rate 10 Each	0 rate Each	10 rate 10 Each I	
COTONEASTER acuminata			C. hispanica SPANISH BROOM	zacn
3 to 4 ft. 5P		.40	3 to 4 ft. Gal	.30
4 to 5 ft. B	1.00	.90	4 to 5 ft. Gal50	.40
C. franchetti			4 to 5 ft. $2\frac{1}{2}$ g	.50
4 to 5 ft. 5g (bushy)	1.25	0.7	C. hispanica nana DWARF	
3 to 4 ft. B	1.00	.85	SPÄNISH BROOM	
C. frigida		45	1 to 1½ ft. 4P	
3 to 4 ft. Gal		.45	C. (Genista) racemosus	
2 to 3 ft. B 3 to 4 ft. B		.60 .75	EASTER BROOM	2.0
4 to 5 ft. B		.90	8 to 12 in. 4P	.30
C. heroveana	1.00	•>0	C. scoparius SCOTCH BROOM	0.
2 to 2½ ft. 5P	50		2 to 3 ft. 4P	.25
3 to 4 ft. B	.90	.75		.35
4 to 5 ft. B		1.00	C.scoparius andreana YELLOW & MAHOGANY RED FLOWERS	4
C. horizontalis			1 to 1½ ft. 4P45	.35
1 to 1½ ft. 5P		.35	2½ to 3 ft. 5g	.55
1½ to 2 ft. 5g (Berried)		.75	DIOSMA ericoides BREATH-OF-	
2 to $2\frac{\pi}{2}$ ft. B (Berried)	1.15	.90	HEAVEN	
C. microphylla			8 to 12 in. 4P	.30
1½ to 2 ft. 4P	35	.30	16 to 18 in. B	.55
2 to 3 ft. 5P		.40 .75	D. reevesi	
2 to 3 ft. 5g (Berried) 1½ to 2 ft. B (Berried)		.60	1½ to 2 ft. B	.65
2 to 2½ ft. B (Berried)		.75	ELAEAGNUS pungens	
2½ to 3 ft. B (Berried)		.90	1 to 2 ft. 4P	
C. microphylla thymifolia				
8 to 12 in, 4P		.30	E. p. maculata	
1 to 1½ ft. B (Berried)		.60	1 to 1½ ft. B	.60
C. pannosa			ERICA gracilis HEATHER	7 0
1½ to 2 ft. 4P		.25	2 to 2½ ft. B	.70
2 to 3 ft. 5P	35	.30	E, mediterranea	0-
4 to 5 ft. Gal (Berried)	1 25	.40	6 to 10 in. 4P	.25 .55
5 to 6 ft. 5g (Berried) 2 to 3 ft, B (Berried)	65	.55	16 to 18 in. B	.75
5 to 6 ft. B (Berried)	1.15	.90	E. mediterranea hybrida	.7 3
C. rotundifolia PROSTRAT.		*, 0	14 to 18 in. B	.55
10 to 14 in. 4P			E. melanthera	.00
2 to 2½ ft. B	1.00	.85	1 to 1½ ft. 4P	.30
C. salicifolia			3 to 3½ ft. B (Bushy)	1.00
3 to 4 ft. B	1.00	.85	E. persoluta alba	
C. schneideri			4 to 6 in. 4P30	.25
1½ to 2 ft. 4P	30	.25	1½ to 2 ft. B	.60
3 to 4 ft. 5G 2 to 3 ft. B		.55	2 to 2½ ft. B	.75
3 to 4 ft. B		.55	E. regerminans	
C. simensi			1 to 1½ ft. B	.65
10 to 14 in. 4P	.25		2 to 2½ ft. B	.85
C. williamsi			*ERIGONIUM fasciculatum	
1½ to 2 ft. 4P		.25	WILD BUCKWHEAT 1 to 1½ ft. 4P30	
2 to 3 ft. B	.65		ERIOBOTHRYA (Seedlings) Loquat	
CYTISUS canariensis	40	20	6 to 10 in. 4P	
4 to 5 ft. Gal 5 to 6 ft. Gal		.30	1 to 1½ ft. 5P	.30
C. elatior		.710	3 to 4 ft. 5g80	.70
1 to 1½ ft. 4P			4 to 5 ft. 5g	.80

10 rate	e 100 :	rate	10 r. Ea	ate 100	rate
ESCALLONIA berteriana WHITE	40		E. Robusta. SWAMP	cn E	Lacn
3 to 4 ft. Gal	40		MAHOGANY		
3 to 4 ft. B		.75	4 to 5 ft. Gal.	.40	.35
4 to 5 ft. B 1.0	00	.85	6 to 8 ft. 5g		.00
E. exoniensis WHITE			8 to 12 in. Flats 1000 rate 1.50	1.00	1.75
2 to 3 ft. Gal					1.75
3 to 4 ft. Gal	40		E. rostrata. RED GUM	20	4.11
E. ingrami NEW-RED			2 to 3 ft. Qt	.20	.15
2 to 2½ ft. 4P	35		4 to 5 ft. Qt	.25	.20
2 to 3 ft. Gal	40	€,	5 to 6 ft. Gal	.45	.35
2 to 3 ft. B	85	.75	6 to 8 ft. Gal.	.50	.40
E. langleyensis (Pink)			8 to 12 in. Flats 1000 rate 1.50		1.75
2 to 2½ ft. 4P	35	.30	1½ to 2 ft. Flats 1000 rate 1.75		2.00
E. macrantha (Red)			E. rudis. DESERT GUM		
2 to 3 ft. B	85	.75	2 to 3 ft. Qt	.20	.15
E. pterocladon (New-Red)			4 to 5 ft. Gal	.35	
	30	.25	5 to 6 ft. Gal	.45	.35
	40		6 to 8 ft. 5g		
E. rosea (Pink)			8 to 10 ft. 5g	1.25	
1½ to 2 ft. 4P	30	.25	8 to 12 in. Flats 1000 rate 1.75		2.00
	40	.30		-	20.0 00
2½ to 3½ ft. B		.80	E. sideroxylon-rosea (Deep pink flowers)	-	
E. rubra (Red)	.,,	.00		20	25
1½ to 2 ft. Qt	30	.25	2 to 3 ft. Qt		.25
1½ to 2 ft. 4P		.30	3 to 4 ft. Gal	.45	
2 to 3 ft. B		.75	4 to 5 ft. Gal		1.05
3 to 4 ft. B		.85	8 to 10 ft. 5g	1.50	1.25
EUCALYPTUS amplifolia	.00	.03	E. viminalis. MANNA GUM		
FOREST GRAY GUM			3 to 4 ft. Qt	.25	.20
	60		4 to 5 ft. Qt	.35	.25
6 to 8 ft. Gal	60		5 to 6 ft. Gal	.50	.40
	25	20	8 to 12 in. Flats 1000 rate 1.50		1.75
	25	.20	2 to 3 ft. Flats 1000 rate 1.75		2.00
	35	.30	EUONYMUS japonica		
	45		3 to 4 ft. Gal	.40	.35
5 to 6 ft. Gal		1 75	3 to 4 ft. B	.65	.55
8 to 12 in. Flats 1000 rate 1.50		1.75	4 to 5 ft. B	.85	.75
E. globulus. BLUE GUM	20	1.5	E. jap. albo marginatus		0
	20	.15	SILVER EUONYMUS		
3 to 4 ft. Qt		.20		.75	
	35	.30	3 to 4 ft. 5g	.60	.50
5 to 6 ft. Gal	45	.40	2 to 3 ft. B	.00	.50
6 to 7 ft. Gal		.50	E. jap. aurea marginatus		
6 to 8 ft. 5g	.00	1 25	GOLDEN EUONYMUS	(M. C)	
8 to 12 in. Flats 1000 rate 1.50		1.75	1½ to 2 ft. B	.70	.60
2 to 3 ft. Flats 1000 rate 1.75		2.00	2 to 3 ft. B	.90	.80
E. gunni. CIDER GUM			E. jap. aureo variegatus		
8 to 12 in. Flats 1000 rate 1.50	4.	1.75	8 to 12 in, 4P	.30	.25
E. leucoxylon rosea (Pink flowere		-	1½ to 2 ft. B	.70	.60
	.25	.20	E. jap. compactus viridis		
8 to 12 in. Flats 1000 rate 2.50		3.00	1½ to 2 ft. B	.60	.50
E. maculata citriodora			E. jap. microphylla		
LEMON GUM			PÜLCHELLÜS		
	.50		8 to 12 in. 4P	.25	.20
E. polyanthemos. RED BOX			1 to 1½ ft. 2½g	.60	
	25	.20	14 to 16 in. B	.60	.50
	45	.40	E. japonica. PRES.		
8 to 12 in. Flats 1000 rate 1.75		2.00	GAUTHIER		
1½ to 2 ft. Flats 1000 rate 2.25		2.50	1 to 1½ ft. 4P	.30	.25

10	rate 100	rate		10 rate 10	0 rate
E. jap. viridivariegatus.			L. nicholli		
DUC D'ANJOU			2 to 3 ft. B	1.00	.80
2 to 3 ft. Gal	.45	.40	LIGUSTRUM acuminatum		
2 to 3 ft. B. (Bushy)	.65	.55	(Ciliatum). PRIVET		
4 to 5 ft. B	.90	.75	2 to 3 ft. 6P	40	
E. sieboldi	., 0	., 0	1 to 1½ ft. B		
13/2 to 2 ft. Gal	40		L. amurense.		
FABIANA imbricata	.10		AMUR PRIVET		
2 to 3 ft. 4P	.35		3 to 4 ft. Qt	25	.20
	.00		4 to 5 ft. Gal		.20
FATSIA japonica.					
aralia sieboldi	40	2=	L. henryi	20	1 5
8 to 14 in. 4P	.40	.35	8 to 12 in. Qt		.15
GENISTA—See CYTISUS			8 to 14 in. 4P		
GREVILLEA robusta. SILK OA			2 to 3 ft. Gal		.30
4 to 6 ft. 5g			3 to 4 ft. Gal		.35
6 to 8 ft. 5g	1.25		2 to 3 ft. B	80	.70
HYPERICUM calycinum.			L. japonicum.		
DWARF GOLD FLOWER			JAP. PRIVET		
Qt	.20	.15	2 to 3 ft. Qt		.15
Ĝal		.25	3 to 4 ft. Qt		.20
H. moserianum.	.00		4 to 5 ft. Gal		.35
GOLD FLOWER			4 to 5 ft. B		1.25
	.60	.50	4 to 5 ft. B. (Standards)	2.00	1.50
12 to 14 in. B					1.50
	.70	.60	L. nanum compactum LODE	NOL	
H. patulum.			PRIVET	-0	(0
JAPANESE HYPERICUM			1½ to 2 ft. B	70	.60
1½ to 2 ft. 5P	.30		L. ovalifolium.		
H. patulum henryi			CALIF. PRIVET		
2 to 3 ft. Qt	.25	.20	2 to 3 ft. Qt	15	.10
1½ to 2 ft. 5P	.30	.25	2 o 3 ft. B-R 1000 rate .03½		.04
ILEX opaca. AMERICAN			8 to 12 in. Flats 1000 rate.	025	.03
HOLLY			L. ovalifolium variegatum.		
2 to 3 ft. B	1.25		GOLDEN PRIVET		
KNIPHOFIA (Tritoma).			1 to 1½ ft. 4P	25	.20
RED HOT POKER			1½ to 2 ft. Qt	25	.20
10 to 14 in. Qt	.20	.15	1½ to 2 ft. Ğal	30	.25
LAUROCERASUS caroliniana.	0	.10	2 to 3 ft. B	70	.60
CAROLINA CHERRY LAURI	21		3 to 4 ft. B		.85
3 to 4 ft. 2½g		.50		1.00	.00
4 to 6 it. 5g	1.00	.50	L. sinense.		
	1.00		CHINESE PRIVET	20	2-
L. officinalis.			1½ to 2 ft. 4P		.25
ENGLISH LAUREL	40	2 =	2 to 3 ft. Gal	35	.30
1½ to 2 ft. Gal		.35	3 to 4 ft. Gal		.35
2 to 3 ft. B. (Bushy)	1.00	.85	1½ to 2 ft. B		.50
LAVENDULA (Blue or White)			*LITHOCARPUS (pasania) der	nsi-	
LAVENDER			flora. TAN OAK		
2 to 3 ft. 4P	30	.25	1 to 1½ ft. 6P	55	
LEONOTIS leonurus.			LONICERA nitida.		
LION'S TAIL			BUSH HONEYSUCKLE		
1 to 2 ft. Gal	40		1 to 1½ ft. Qt		.15
LEPTOSPERMUM chapmani			1½ to 2 ft. Ĝal	30	.25
2 to 2½ ft. ½g	.75		1½ to 2 ft. B		.40
2 to 3 ft. B	.90	.80	2 to 3 ft. B		.50
L. laevigatum.		.00	*MAHONIA aquifolium.		
AUSTRALIAN TEA TREE			OREGON GRAPE		
1½ to 2 ft. Qt		.15	8 to 12 in. 4P	30	.25
2 to 2½ ft. 4P	30	.25			.23
3 to 4 ft. Gal		.40	2 to 3 ft. 5g 2 to 3 ft. B		.70
					.90
2 to 3 ft. B	/3	.65	3 to 4 ft. B	1.10	.90

	ate 100	rate	10 rate 100	rate
M. bealei (Japonica).			SINGLE, crimson, deep rose,	
JAP. BARBERRY			pink, red, salmon yellow, white.	
10 to 16 in. 5P		.30	8 to 12 in. 4P	.25
1 to 1½ ft. 1g	.50		$\frac{1\frac{1}{2}}{2}$ to 2 ft. Gal	.35
M. pinnata.			OSTEOMELES schweriana.	
CALIF. BARBERRY			STONE APPLE	
2 to 3 ft. B	1.00	.85	2 to 3 ft. B	
MELALEUCA decussata.			PAPAVER orientale.	
LILAC MELALEUCA.			ORIENTAL POPPY	
1½ to 2 ft. 5P	.40		3P	
3 to 4 ft. 2½g	.70		3 to 6 in. Flats	1.75
2 to 3 ft. B		.55	PENTSTEMON (Pink and Red)	
3 to 4 ft. B	.85	.75	2 to 3 ft. Qt	.15
M. diosmafolia (Creamy white			P. barbatus. CHELONE B.	
flowers)			5P	.25
3 to 4 ft. B	.75		* P. cordifolius (Native of Santa	
4 to 5 ft. B	.90	.75	Barbara Is.) (Scarlet Flowers)	
M. hypericifolia (Rich red			1 to 2 ft. 4P	
flowers)			PERSEA americana.	
1½ to 2 ft. 4P	.25	.20	AVOCADO SEEDLING	
2 to 3 ft. B	.65	.55	5 to 6 ft. Gal	
M. nesophila. PINK ME-			*PHOTINIA arbutifolia. TOYON.	
LALEUCA			8 to 12 in. 4P	.25
2 to 3 ft. B	.70	.60	1 to 1½ ft. 4P	.30
	., 0	.00	1½ to 2 ft. 5P	.35
MUEHLENBECKIA platycada.			2 to 2½ ft. 6P	.40
NOVELTY, RIBBONBUSH.	25	20	$2\frac{1}{2}$ to 3 ft. $2\frac{1}{2}$ g	.85
10 to 14 in. 4P	.35	.30	3 to 4 ft. 2½g 1.25	1.15
MYRTUS communis. ENGLISH	l		PHOTINIA serrulata	1.15
MYRTLE	•	0.5	4 to 5 ft. 5g	1.25
8 to 12 in. 4P	.30	.25	5 to 6 ft. 5g	1.50
1 to 1½ ft. 5P	.35	.30	PITTOSPORUM crassifolium	1.50
2 to 3 ft. 5g	.75	.65	3 to 4 ft. B	.75
2½ to 3 ft. B. (Extra fine)	90	.80	P. eugenoides	.13
M. c. compacta			2 to 3 ft. B	.50
6 to 10 in. 4P	.40		P. tenuifolium (nigricans)	.50
M. c. microphylla			1 to 2 ft. Qt	
8 to 12 in. Qt	.25	.20		20
1 to 1½ ft. 5P	.35	.30	3 to 4 ft. Gal	.30
2 to 2½ ft. 5g	.85			.50 .75
2 to 2½ ft. B	.85	.75	4 to 5 ft. B	1.15
M. c. variegata			5 to 6 ft. B	1.13
6 to 10 in. 4P	.35			.45
1½ to 2 ft. B		.60	2 to 3 ft. Gal	.43
M. ugni (New)			3 to 4 ft. 5g	70
CHILE-GUAVA			3 to 4 ft. B	.75
1½ to 2 ft. B	.75	.60	P. tobira variegata	.25
2 to 3 ft. B	.90		8 to 12 in. 4P	
NANDINA domestica			2 to 3 ft. B	1.00
8 to 12 in. 4P	.35	.25	*PRUNUS ilicifolia. EVER-	
1 to 1½ ft. Gal. & 5P		.30	GREEN WILD CHERRY.	
1½ to 2 ft. 6P		.40	6 to 10 in. Qt. & 3P	.15
2 to 2½ ft. 2½g.		.65	10 to 14 in. Qt	.20
2½ to 3 ft. 2½g		.75	1½ to 2 ft. Gal. & 5P	.35
3 to 4 ft. 5g		0	2 to 2½ ft. 2½ g	.75
3 to 4 ft. B			$2\frac{1}{2}$ to 3 ft. $2\frac{1}{2}$ g	.85
NERIUM. OLEANDER.	1.00		* P. lyoni (intergrifolia). CATA-	
DOUBLE, crimson pink, salmon	n		LINA ISLAND CHERRY.	
pink, red, white.			6 to 8 in. 3P	.15
pink, red, white.				

	rate 100 ach I	rate Each		10 rate 10 Each E	0 rate
2½ to 3 ft. 2½g	.65	.55	*QUERCUS agrifolia.		
3 to 4 ft. 2½g	.80		CALIF. LIVE OAK		
4 to 5 ft. 2½g	1.00		3 to 4 ft. 5g	1.00	
PSIDIUM cattleianum. STRAW			4 to 5 ft. 5g	1.35	
BERRY GUAVA			6 to 8 ft. 5g	1.75	
8 to 12 in. 4P	.30	.25	3 to 4 ft. B (Bushy)	1.25	
1½ to 2 it. 5P		.35	Q. ballota.		
2 to 2½ ft. B.		100	HOLLY or HOLM OAK		
3 to 4 ft. B	1.15		3 to 4 ft. 5g	1.15	
	1.10		4 to 5 ft. 5gQ. suber. CORK OAK.	1.35	
PUNICA granatum nana. DWARF POMEGRANATE			Q. suber. CORK OAK.		
12 to 14 in. B	.90	.75	5 to 6 ft. 5g	1.75	
	.90	./3	RAPHIOLEPIS umbellata (Ja		
PYRACANTHA angustifolia	0.7	22	ponica)		
1 to 1½ ft. Qt	.25	.20	1½ to 2 ft. B	.80	.70
1½ to 2 ft. 4P		.25	2 to 3 ft. B		.85
2 to 3 ft. Gal	.40	.35	*RHAMNUS californica.		
5 to 6 ft. Gal.	.60	.50	COFFEE BERRY		
5 to 6 it. 5g. (Berried)	1.00	.85	6 to 10 in. 4P	25	.20
2 to 3 ft. B. (Berried)		.60	10 to 14 in. 5P	30	.25
3 to 4 ft. B. (Berried)	.85	.75	2 ¹ / ₂ to 3 ft. 2 ¹ / ₂ g	1.00	.23
P. coccinea. BURNING BUSH	1 20	0-	* R. crocea (red berry, very p	rattr)	
1 ¹ ₂ to 2 ft. 4P		.25	6 to 8 in. 3P.		.30
2 to 3 ft. 5P	.40	.30			.50
2 to 3 ft. 5g. (Berried)			*RHUS laurina.		
3 to 4 ft. 5g. (Berried)			EVERGREEN SUMAC	4-	40
2 to 3 ft. B. (Berried)		.55	2 to 3 ft. 4P	45	.40
3 to 4 ft. B. (Berried)	.80	.70	*ROMNEYA coulteri.		
P. c. lalandi	4.0	2 -	MATILIJA POPPY		
1 ¹ 2 to 2 ft. 4P	.40	.35	4P		.40
2 to 3 ft. 5P	.50	.40	5P	60	.50
2 to 3 ft. B. (Berried)		.70	Gal	70	.60
3 to 4 ft. B. (Berried)	1.00	.85	ROSMARINUS officinalis.		
P. crenulata	2-	20	ROSEMARY		
1 to 1 2 ft. Qt	.25	.20	3 to 4 ft. Gal	50	
2 to 3 ft. 4P	.30	.25	SALVIA azurea grandiflora		
2 to 3 ft. Gal	. 1 0	.30	(Pitcheri)		
1 to Fig. (Derried)	1.00		2½g	60	
4 to 5 ft. 5g. (Berried)	.65	= =	S. farinacea		
P. formosiana (NEW, VERY	.03	.55	2 to 3 ft. 4P	30	
FINE) (Bright Scarlet Berri	(20		S. greggi (red)		
1 to 1½ ft. 4P	35	.30	2 to 2½ ft. 4P	40	.30
1½ to 2 ft. 5P	40	.50	2 to 3 ft. 1g.		.35
3 to 4 ft. 5g			S. greggi (white)		
4 to 5 ft. 5g.	1.25		1 to 1½ ft. 4P	30	
2 to 3 it. B.	90		1½ to 2 ft. 5P	.40	
P. kensuriensis (NEW, Orange	.20		S. rutilans		
Yellow Berries)			1 to 1½ ft. 4P	30	.25
1 to 1½ ft. 4P	.30		SCHINUS molle.		
2 to 3 ft. Gal	.45		CALIF. PEPPER TREE		
P. yunnanensis (Red Berries)	0		1 to 1½ ft. Qt		.20
1 to 1½ ft. 4P	.30	.25	2 to 3 ft. Gal	.35	.30
1½ to 2 ft. Qt	.35	.30	5 to 6 ft. 5g		
2 to 3 ft. Gal	.45	.40	S. terebinthifolius.	2.00	
3 to 4 ft. 2½g.	.75	. 10	BRAZILIAN PEPPER TI	REE	
2 to 3 ft. B	.80	.65	5 to 6 ft. Gal		
		.00			

		rate		te 100	
STERCULIA diversifolia.	ch I	sacn	V. reevesi	ch E	acn
BOTTLE TREE			1½ to 2 ft. B	.60	.50
2 to 3 ft. Gal	.45	.40	VIBURNUM suspensum		
TEUCRIUM fruiticans			(Sandankwa)		
2 to 3 ft. Gal	.40	.30	8 to 12 in. 4P	.35	.30
3 to 4 ft. Gal		.40	1 to 1½ ft. 5P	.45	
2 to 3 ft. B	.80		2 to 3 ft. B	1.00	.80
TRACHELIUM caeruleum.			V. tinus (Laurustinus)		
THROATWORTH			8 to 12 in. 4P	.25	.20
1½ to 2 ft. 4P	.25		1 to 1½ ft. 4P	.35	.30
ULEX europeus. GORSE			1½ to 2 ft. Gal	.40	.35
1 to 1½ ft. 4P	.25	.20	3 to 4 ft. 5g	.85	
2 to 3 ft. B	.70	.60	2 to 3 ft. B	.70	.60
U. e. nana. DWARF GORSE			V. t. grandiflorum		
1 to 1½ ft. Gal	.30	.25	1 to 1½ ft. 4P	.35	.30
*UMBELLULARIA californica.			1½ to 2 ft. 5P	.40	.35
CALIF. LAUREL or BAY TRE	E		V. t. variegatum	20	25
8 to 12 in. 4P		.35	8 to 12 in. 4P	.30	.25
2 to 3 ft. B		.65	1½ to 2 ft. 5P 2 to 3 ft. B	.45 .85	
*VACCINIUM ovatum. HUCKLE	_		YUCCA filamentosa	.03	
BERRY.			COMMON YUCCA		
1 to 1½ ft. Gal	.50		8 to 10 in. Qt	.25	
VERONICA andersoni			8 to 10 in. 4P	.30	
1½ to 2 ft. B	.60		*YUCCA whipplei		
2 to 3 ft. B	.75		SPANISH BAYONET		
V. a. variegata			12 to 15 in. 4P	.30	
1 to 1½ ft. 4P	.30	.25			
1½ to 2 ft. B	.60	.50	DECIDUOUS SHADE	1	JD
V. buxifolia					AT)
12 to 14 in. B	.50	.40	FLOWERING TRE	LES	
V. chathamica	20		AND SHRUBS		
1 to 1½ ft. 5P		ro.			
1½ to 2 ft. B V. cupressoides	.60	.50	ACER dasycarpum (saccharinum) SILVER MAPLE		
1 to 1½ ft. B. (Bushy)	.60	.50	4 to 6 ft. B-R	.50	.40
V. decussata	.00	.50	6 to 8 ft. 5g	.85	. 10
1 to 1½ ft. Gal	.40	.35	A. negundo BOX ELDER		
1 to 1½ ft. B		.40	4 to 6 ft. B-R	.40	
1½ to 2 ft. B		.50	6 . 0 f. D D		
			6 to 8 ft. B-R	.50	
2 to 2½ ft. B	.70	.50	A. palmatum	.50	
V. d. variegata		.50	A. palmatum JAPANESE MAPLE		# 0
V. d. variegata 1 to 1½ ft. Gal		.35	A. palmatum JAPANESE MAPLE 2 to 3 ft. Gal	.60	.50
V. d. variegata 1 to 1½ ft. Gal 1½ to 2 ft. B	.70		A. palmatum JAPANESE MAPLE 2 to 3 ft. Gal A. rubrum. SCARLET MAPLE	.60	.50
V. d. variegata 1 to 1½ ft. Gal 1½ to 2 ft. B V. glaucophylla	.70 .40 .60	.35 .50	A. palmatum JAPANESE MAPLE 2 to 3 ft. Gal A. rubrum. SCARLET MAPLE 3 to 4 ft. B-R	.60	.50
V. d. variegata 1 to 1½ ft. Gal 1½ to 2 ft. B V. glaucophylla 6 to 10 in. 4P	.70	.35	A. palmatum JAPANESE MAPLE 2 to 3 ft. Gal	.60	.50
V. d. variegata 1 to 1½ ft. Gal	.70 .40 .60	.35 .50	A. palmatum JAPANESE MAPLE 2 to 3 ft. Gal. A. rubrum. SCARLET MAPLE 3 to 4 ft. B-R. 4 to 6 ft. B-R. *AMORPHA californica	.60	.50
V. d. variegata 1 to 1½ ft. Gal. 1½ to 2 ft. B V. glaucophylla 6 to 10 in. 4P V. imperialis 8 to 12 in. 4P	.70 .40 .60 .25	.35 .50 .20	A. palmatum JAPANESE MAPLE 2 to 3 ft. Gal. A. rubrum. SCARLET MAPLE 3 to 4 ft. B-R	.60 .40 .50	.50
V. d. variegata 1 to 1½ ft. Gal 1½ to 2 ft. B V. glaucophylla 6 to 10 in. 4P V. imperialis 8 to 12 in. 4P 1½ to 2 ft. B	.70 .40 .60 .25 .35 .65	.35 .50 .20 .30 .55	A. palmatum JAPANESE MAPLE 2 to 3 ft. Gal. A. rubrum. SCARLET MAPLE 3 to 4 ft. B-R. 4 to 6 ft. B-R. *AMORPHA californica	.60 .40 .50	.50
V. d. variegata 1 to 1½ ft. Gal	.70 .40 .60 .25 .35 .65 .55	.35 .50 .20 .30 .55 .45	A. palmatum JAPANESE MAPLE 2 to 3 ft. Gal. A. rubrum. SCARLET MAPLE 3 to 4 ft. B-R	.60 .40 .50	.50
V. d. variegata 1 to 1½ ft. Gal	.70 .40 .60 .25 .35 .65	.35 .50 .20 .30 .55	A. palmatum JAPANESE MAPLE 2 to 3 ft. Gal. A. rubrum. SCARLET MAPLE 3 to 4 ft. B-R	.60 .40 .50	.50
V. d. variegata 1 to 1½ ft. Gal. 1½ to 2 ft. B. V. glaucophylla 6 to 10 in. 4P. V. imperialis 8 to 12 in. 4P. 1½ to 2 ft. B. 1 to 1½ ft. B. 2 to 3 ft. B. V. pimeleoides	.70 .40 .60 .25 .35 .65 .55	.35 .50 .20 .30 .55 .45	A. palmatum JAPANESE MAPLE 2 to 3 ft. Gal. A. rubrum. SCARLET MAPLE 3 to 4 ft. B-R	.60 .40 .50	.50
V. d. variegata 1 to 1½ ft. Gal. 1½ to 2 ft. B V. glaucophylla 6 to 10 in. 4P V. imperialis 8 to 12 in. 4P 1½ to 2 ft. B 1 to 1½ ft. B 2 to 3 ft. B V. pimeleoides 8 to 10 in. 4P	.70 .40 .60 .25 .35 .65 .55	.35 .50 .20 .30 .55 .45 .70	A. palmatum JAPANESE MAPLE 2 to 3 ft. Gal. A. rubrum. SCARLET MAPLE 3 to 4 ft. B-R. 4 to 6 ft. B-R. **AMORPHA californica INDIGO SHRUB 4 to 6 ft. B-R. Flowering Almond AMYGDALUS communis nana	.60 .40 .50	.50
V. d. variegata 1 to 1½ ft. Gal. 1½ to 2 ft. B. V. glaucophylla 6 to 10 in. 4P. V. imperialis 8 to 12 in. 4P. 1½ to 2 ft. B. 1 to 1½ ft. B. 2 to 3 ft. B. V. pimeleoides	.70 .40 .60 .25 .35 .65 .55 .80	.35 .50 .20 .30 .55 .45 .70	A. palmatum JAPANESE MAPLE 2 to 3 ft. Gal	.60 .40 .50	
V. d. variegata 1 to 1½ ft. Gal. 1½ to 2 ft. B V. glaucophylla 6 to 10 in. 4P V. imperialis 8 to 12 in. 4P 1½ to 2 ft. B 1 to 1½ ft. B 2 to 3 ft. B V. pimeleoides 8 to 10 in. 4P 14 to 16 in. B. (Busby)	.70 .40 .60 .25 .35 .65 .55 .80 .70	.35 .50 .20 .30 .55 .45 .70	A. palmatum JAPANESE MAPLE 2 to 3 ft. Gal. A. rubrum. SCARLET MAPLE 3 to 4 ft. B-R. 4 to 6 ft. B-R. **AMORPHA californica INDIGO SHRUB 4 to 6 ft. B-R. Flowering Almond AMYGDALUS communis nana (Dble., pink dwarf Flowering	.60 .40 .50	.35


Diam'r Drashan			10 ra Eac	te 100 i	rate ach
Flowering Peaches			CRATAEGUS oxycantha		
AMYGDALUS persica. FLOW-	te 100	rate	HAWTHORNE, dble. pink;		
ERING PEACH. Burbank Pink			paul's scarlet, (dble red)		
	••		4 to 6 ft. 2½g	.50	
Camelliaflora (dble. pink), Dble. Pink, Early Dble. Cerise, Early			4 to 6 ft. Gal	.40	
Dhla Pad Caphai (variageted)				.40	.35
Dble. Red, Genbei (variegated),			4 to 6, ft. B-R	.50	.40
Late Dble. Pink, Late Dble. Red Very Late Dble. Red, Dble. Whit	,		DEUTZIA scabra crenata		
		.40	6 to 8 ft. B-R	70	
	.60	.50	2 to 3 ft. B-R		
4 to 5 ft	.70	.60	3 to 4 ft. B-R	35	
• • • • • • • • • • • • • • • • • • • •	.70	.00	4 to 5 ft. B-R	45	
AMYGDALUS persica (Crimson				. 10	
leaf, dark pink flowering peach) A NOVELTY			EXOCHORDA grandiflora		
	65		PEARL BUSH	20	21
3 to 4 ft. B-R.		.55		.30	.25
4 to 5 ft. B-R		.65		.35	.30
5 to 6 ft. B-R	.85	.75	FRAXINUS americana. WHITE		
BERBERIS vulgaris. COMMON			ASH		
BARBERRY	50			.40	
3 to 4 ft. Gal	.50		6 to 8 ft. B-R	.50	.4(
BETULA alba. WHITE BIRCH	4.5		8 to 10 ft. B-R	.65	.60
3 to 4 ft. Gal	.45		HYDRANGEA. E. G. Hill, Horten	sis.	
4 to 5 ft. Gal.	.55		La Pearl, Mme. L. Moulliere, M		
CALYCANTHUS floridus			C. S. Rich, Nigra, paniculta, ra		
SWEET SHRUB	20	25	ant.		
1 to 1½ ft. B-R* * C occidentalis CALIF	.30	.25	1 to 1½ ft. Gal	.40	
Of Occidentation Crimin.			1 to 1½ ft. 2½g	.60	
SWEET SHRUB	25		KERRIA japonica (Double) JAP.		
1½ to 2 ft. Gal	.35		ROSE		
CARYOPTERIS incana. BLUE			4 to 5 ft. Gal	.60	.50
SPIREA	20		5 to 6 ft. Gal	.75	.6.
2 to 3 ft. 4P	.30		K. j. (Single) JAP. ROSE		
3 to 4 ft. Gal			3 to 4 ft. Gal	.50	.4
4 to 5 ft. Gal	.50		KOELREUTERIA paniculata		
CATALPA speciosa. WESTERN CATALPA			VARNISH TRÉE		
4 to 6 ft. B-R	.40		3 to 4 ft. Gal	.50	
6 to 8 ft. 5g	.65		4 to 5 ft. Gal	.65	
6 to 8 ft. B-R	.50		6 to 8 ft. B-R 1	.00	
8 to 10 ft. B-R	.65		LAGERSTROEMIA indica (Pink)		
*CEPHALANTHUS occidentalis	.05		CRAPE MYRTLE		
BUTTON BUSH			1½ to 2 ft. Gal	.40	
3 to 4 ft. Gal	.40		Liquidambar styraciflua SWEETO	JUM	
*CERCIS occidentalis. CALIF.	.10		10 to 12 ft. B-R		
RED BUD			LONICERA fragrantissima		
2 to 3 ft. B-R	.40		WINTER HONEYSUCKLE		
CORNUS amomum. SILKY DOC			3 to 4 ft. B-R	.50	
WOOD WOOD	J-		4 to 5 ft. B-R	.60	
2 to 3 ft. B-R	.30		L. grandiflora BRIDE		
* C. californica. CREEK DOG-	.00		ĤONEYSUCKLE		
WOOD			3 to 4 ft. Gal	.50	
2 to 3 ft, Gal	.35		3 to 4 ft. B-R	.45	
C. sanguinea. BLOODTWIG	.00		Flowering Apples		
DOGWOOD			MALUS floribunda purpurea		
2 to 3 ft. B-R	.30		PURPLE JAP. FLOW. CRAB		
C. stolonifera. RED-OSIER	.00		4 to 6 ft. 5g	.80	
DOGWOOD			6 to 8 ft. B-R	.70	
2 to 3 ft. B-R	.30		M. ioensis plena (Bechtel Crab)	., 0	
# (O O)(t) 15 Mc	.00		11. Idensis piena (Decinei Clab)		

	ate 100			rate 100	
DOUBLE PINK	ich I	sacn	P. pissardi (purple leaved plum)	ch E	acn
3 to 4 ft. Gal	.60		4 to 6 ft. B-R	.60	.50
4 to 5 ft. 5g	.85		6 to 8 ft. B-R	.75	.60
3 to 4 ft. B-R	.60	.50	P. vesuvius (Flw. plum-purple		
4 to 5 ft. B-R		.60	foliage very fine)		
MELIA azedarach TEXAS			4 to 6 ft. B-R	.70	.60
UMBRELLA TREE			6 to 8 ft. B-R	.85	.70
4 to 6 ft. B-R	.50				
6 to 8 ft. B-R	.60		Flowering Cherrie	es	
MORUS tartarica RUSSIAN					
MULBERRY	25	20	PRUNUS pseudo cerasus FLOWERING CHERRY		
2 to 3 ft. Gal	.35	.30	Dble pink		
3 to 4 ft. Gal.	.40		3 to 4 ft. 5g	1.35	
PAULOWNIA tomentosa (Imperialis) EMPRESS TREE			4 to 5 ft. 5g	1.60	
12 to 14 ft. B-R	.90		Dble white	1.00	
POPULUS alba. WHITE POPL			4 to 5 ft. 5g	1.60	
3 to 4 ft. B-R		.40	Dble. pink, rose pink, shell pi	nk.	
4 to 5 ft. B-R		.45	dble, white	,	
P. deltoides carolinensis.	.55	.73	2 to 3 ft. B-R	1.00	.75
CAROLINA POPLAR			3 to 4 ft. B-R		1.00
4 to 6 ft. B-R	.50	.40	4 to 5 ft. B-R		1.25
6 to 8 ft. B-R		.50	PUNICA granatum (Dble red)		
P. nigra italica LOMBARDY			FLW. POMEGRANATE		
PÕPLAR			2 to 3 ft. Gal	.35	/g.
5 to 6 ft. 5g	.50		2 to 3 ft. B-R	30	.25
6 to 8 ft. 5g	.60		3 to 4 ft. B-R	45	₂ .35
8 to 10 ft. 5g	.70		P. G. (Dble White)	,	
10 to 12 ft. 5g	.80		2 to 3 ft. Gal		
12 to 14 ft. 5g			3 to 4 ft. B-R	.45	
4 to 6 ft. B-R			ROBINA Pseudoacacia BLACK		
6 to 8 ft. B-R	.50		LOCUST	4.0	
P. simoni fastigiata NARROW			4 to 6 ft. B-R		
SIMON POPLAR			6 to 8 ft. B-R		
8 to 10 ft. 5Gal	.60		SALIX discolor PUSSY WILLO	W	
10 to 12 ft. 5g			5 to 6 ft. 2½g	.60	
10 to 12 ft. B-R	.70		6 to 8 ft. 5g		
*PRUNUS demissa. WESTERN			4 to 5 ft. B-R	.50	
CHOKE CHERRY 2 to 3 ft. Gal	۲n		SPIRAEA Anthony waterer	.40	
4 to 6 ft. 5g			2 to 3 ft. Gal.	.40	
4 to 0 it. Jg	1.00		S. reevesiana 2 to 3 ft. B-R	.35	
			S. thunbergi	.00	
Flowering Plums and A	pri	cots	2 to 3 ft. Gal.	.40	
	pri		1½ to 2 ft. B-R	.30	
PRUNUS moseri FLOWERING			S. vanhouttei		
PLUM, purple leaves & dble.	pink		2 to 3 ft. B-R	.35	
flowers			SYMPHORICARPOS orbiculatu	S	
4 to 6 ft. B-R		.60	INDIAN CURRANT—Coral	Berry	y
6 to 8 ft. B-R		.70	3 to 4 ft. Gal	.50	
P. mme dorborn (Flw. plum		•	4 to 5 ft. Gal	.60	
Bright pink flowers)	E.C.		3 to 4 ft. B-R	.45	
4 to 6 ft. B-R	.70	.60	SYRINGA chinensis nana CHINI	ESE	
6 to 8 ft. B-R		.70	DWARF LILAC	20	O.F
P. MUME (Dawn) JAP. FLW.	APR	1-	8 to 12 in. 4P 2 to 3 ft. Gal	.30	.25
COT (very early bloomer- pin	k)		2 to 3 ft. Gal.	C .50	
4 to 6 ft		.60	S. vulgaris LAVENDER LILA	60	
6 to 8 ft	.85	.70	3 to 4 ft. Gal	00	

LEONA	AD COA	III NOROMETHO	
	ate 100 rate	10 rate 10	
S. v. PURPLE LILAC	.30	Euonymus radicans WINTER	Each
1½ to 2 ft. B-R	.40	CREEPER 4P	.20
ULMUS Americana AMERICAN		FICUS pumila (repens) CLIMBING	.35
OR WHITE ELM	40	FIG 4P	.33
4 to 5 ft. 2½g	.40 .75	LINA YELLOW JASMINE 4P30	
5 to 6 ft. B-R		HEDERA amurensis LARGE LEAF	
6 to 8 ft. B-R	.55	IVY 5P	
WEIGELA (Diervilla) amabilis ROSE WEIGELA		Gal	.15
2 to 3 ft. B-R	.35	Gal	.30
W. hybrida hendersoni (Deep		H. helix dentata aurea GOLDEN	0"
rose flowers) 2 to 2½ ft. B-R	.35	GIANT IVY 4P	.25
2 to 2/2 ft. B-K	.00	Gal	
CLIMBING ANI)	H. helix maculata minor. (Small	25
TRAILING PLAN		leaf variegated ivy)	.25
		HELIANTHEMUM SUN ROSE	
AKEBIA quinata. Gal	.50 .40	Apricot, Bronze, Cream, Pink,	
VEIN CREEPER 5P	.50	Red, Dble. red, Rose, White,	45-7
A. heterophylla PORCELAIN			$.17\frac{1}{2}$ $.12\frac{1}{2}$
AMPELOPSIS Gal.	.45	HEUCHERIA sanguinea CORAL	.1272
A. quinquefolia VIRGINIA CREEPER Qt	.25 .20	BELLS 3P	.10
A. tricuspidata. BOSTON IVY		JASMINUM bessianum ROSY	0 #
4P	.30 .25 .25 .20	JASMINE Gal	.25
ASPARAGUS sprengeri 4P	.25 .20	JASMINE. 6P	.30
		J. primulinum PRIMROSE	
A	-	JASMINE 5P	
170		2 to 3 ft. B	
		4 to 5 ft. B	
		LIPPIA canescens (L. repens) LIPPIA GRASS Flats	1
		*LONICERA Californica WILD	
200		HONEYSUCKLE 4P	.30
		L. chinensis CHINESE HONEY-	20
		SUCKLE Gal	.30
		JAP. HONEYSUCKLE Qt20	.15
		Gal	
	4	PASSIFLORA incarnata BLUE PASSIONFLOWER 4P	
W 1 2 4		P. manicata SCARLET PASSION	
		VINE 4P	
		PLUMBAGO capensis CAPE PLUMBAGO 4P30	.25
100 March 100 Ma		SOLLYA heterophylla AUSTRALIAN	1
A. S.	-	BLUEBELL CREEPER Qt30	.25
	1)	Gal	.49
	1-1-	GATED PERIWINKLE Qt20	.15
		VINCA minor SMALL LEAF PER-	121/
ENGLISH IVIES		IWINKLE. Qt	
			/

	* C. goveniana GOWEN CYPRESS
LINING-OUT STOCK	o to 8 in. Qt
	* C. macrocarpa MONTEREY CYPRESS
ABIES balsamea BALSAM FIR	8 to 12 in. Flats
4 to 6 in. Flats	C. sempervirens ITALIAN CYPRESS
ACACIA armata	8 to 12 in. Flats
6 to 8 in. Flats	
A continuity WAITER DIADE	CYTISUS canariensis
A. cultriformis KNIFE-BLADE	4 to 8 in. 2½P
ACACIA 3 to 6 in. Flats	DIOSMA ericoides BREATH-OF-
A. melanoxylon BLACK ACACIA	
8 to 10 in. Flats04	HEAVEN 3 to 6 in. 2P
A. saligna WILLOW ACACIA	8 to 12 in. 2P
8 to 10 in. 2½P	ESCALLONIA berteriana
A. verticillata	10 to 16 in. 2½P
	E. ingrami 6 to 10 in. 2½P
6 to 8 in. Flats	E. pterocladon (NEW)
ALBIZZIA julibrissin PINK ACACIA	
8 to 10 in. 3P	8 to 12 in. 2½P
ASPARAGUS sprengeri 2½P	EUONYMUS japonica compactus viridis
BERBERIS sargenti 6 to 10 in. 21/4P .09	8 to 12 in. Flats
B. stenophylla 6 to 10 in. 2½P08	E. jap. microphylla PULCHELLUS
RIDDI FIA clobers CLODE DUTTED	
BUDDLEIA globosa GLOBE BUTTER-	3 to 6 in. Flats
FLY BUSH 6 to 10 in. 2½P07	E. jap. viridvariegatus
CALLISTEMON rigidus BOTTLE	4 to 8 in. 3P
BRUSH 6 to 10 in. 2&21/4P	FABIANA imbricata
*CALYCANTHUS occidentalis CALIF.	6 to 10 in. 2½P
SWEET SHRUB 8 to 10 in. B-R .05	
CARMICHAELIA odorata (NEW)	FESTUCA glauca BLUE FESCUE
	2½P
0 to 12 in. 2½P	Flats
CASSIA tomentosa 6 to 10 in. 2½P08	FORSYTHIA viridissima GOLDEN
*CEANOTHUS arboreus hybrida	
3 to 6 in. 2½P	BELL 1 to 1½ ft. Flats
* C. spinosus 3 to 6 in. 2 ¹ / ₄ P	HAKEA laurina SEA URCHIN
CEDRUS atlantica MT. ATLAS	3 to 6 in. 2½P
CEDAR 6 to 8 in. 2½P	HALESIA tetraptera GREAT
C. libani CEDAR OF LEBANON	SILVER BELL
4 to 9 in 21/D	4 to 8 in. 2½P
4 to 8 in. 2½P	
CERATOSTIGMA plumbaginoides	HYPERICUM moserianum GOLD
(Plumbago larpentae)	FLOWER 4 to 8 in. 2½P
Flats	8 to 10 in. 2½P
2¼P	H. patulum henryi
CESTRUM auranticum	6 to 10 in. 2½P
1 to 2 ft. 2½P	JACARANDA ovalifolia
CHAMAECYPARIS ericoides	3 to 6 in. 2¼P
OHAMAECT FAKIS efficitles	TACRETINETM bernile (Wallow) ITAI
8 to 12 in. Flats	JASMINUM humile (Yellow). ITAL-
CORREA japonica alba	IAN JASMINE 2½P
10 to 14 in. 2P	J. primulinum PRIMROSE JASMINE
COTONEASTER franchetti	2½P
3 to 6 in. 2½P	KNIPHOFIA (Tritoma) RED HOT
C. frigida 4 to 8 in. 21/4 & 21/2 P	POKER 10 to 14 in. 2½P
	· =
C. microphylla 6 to 10 in. 2½P 08	LEONOTIS leonurus. LION'S TAIL
C. pannosa 3 to 6 in. 21/4 P	8 to 12 in. 2½P
CRYPTOMERIA elegans PLUME	LIGUSTRUM henryi
CRYPTOMERIA	4 to 6 in. 2½P
4 to 8 in. 2½P	L. japonicum JAP. PRIVET
CUPRESSUS arizonica. ARIZONA	6 to 8 in. Flats
CYPRESS 3 to 6 in. Flats031/	
	HONEYSUCKLE 24P
C. btthami knightiana	L. Japonica halliana HALL'S JAP.
1 to 1½ ft. Flats	HONEYSUCKLE 21/4P

MAGNOLIA hypoleuca SILVER	
MAGNOLÍA 6 to 10 in. 2½P	.15
*MAHONIA aquifolium OREGON	
GRAPE 3 to 6 in. 2½P	.08
MELALEUCA hypericifolia (Rich rec	1
flowers) 4 to 8 in. 2½P	.08
MUEHLENBECKIA platycada RIB-	
BON BUSH 6 to 10 in. 2½P	.09
MYRTUS communis ENGLISH	
MYRTLE 4 to 8 in. 2 ¹ / ₄ P	.08
M. c. microphylla	
6 to 10 in, 2P	.08



LATH LOUSE VIEW

NERIUM OLEANDER Rose Pink, D	ble.
6 to 10 in. 2½P	
PHILADELPHUS mexicanus. MOC	
ORANGE 8 to 12 in. 2½P	.07
*PHOTINIA arbutifolia TOYON	
4 to 6 in. 2½P	.10
*PICEA engelmanni ENGLEMAN'S	
SPRUCE 2 to 4 in. 2P	.12
*PINUS radiata MONTEREY PINE	
6 to 10 in. Flats	.05
PYRACANTHA angustifolia	
6 to 10 in. 2½P	.07
P. yunnanensis 8 to 12 in. 2½P	.08

SALVIA greggi (Red) 8 to 12 in. 2½P	.07
SCHINUS molle PEPPER TREE	.07
4 to 8 in. 2½P	.06
3 to 6 in. Flats	.04
PEPPER TREE	
3 to 6 in. 21/4 P	.07
SOLANUM pseudocapsicum JERU- SALEM CHERRY	
2 to 4 in. 2P	.06
3 to 6 in. Flats	.05
TEUCRIUM fruticans	
8 to 12 in. 2P	.07
1 to 1½ ft. FlatsTHUJA orientalis ARBORVITAE	.06
3 to 6 in. Flats	.05
ULEX europeus GORSE	
10 to 14 in. 2P	.07
6 to 10 in 2½P	.07
6 to 10 in. 2½P	05
*VACCINIUM ovatum HUCKLEBER	RY
3 to 6 in. 2PVERONICA chathamica	.08
6 to 8 in. 2½P	.07
V. decussata 6 to 10 in. 2½P	.05
V. d. variegata	.03
8 to 12 in. 2½P	.07
V. hulkeana 6 to 10 in. 2¼P	.07
V. imperialis	.07
6 to 10 in. 2½P	.08
V. pimeleoides 3 to 6 in. 2½P	.06
V. reevesi	.00
6 to 10 in. 2½P	.07
V. traversi	.07
6 to 10 in. 21/4 P	.07
3 to 6 in. 2½P	.08
*YUCCA whipplei SPANISH BAY-ONET 8 to 12 in. 2½P	.09
ONET 0 to 14 III. 4/21	.09

The foregoing list includes stocks of which we can supply in large quantities. We are continually growing and adding new varieties, so if you do not find your wants listed, write for further information and prices.

ASK US FIRST.

GENERAL INDEX

		Рa	ge
Climbing and Trailing Plants			16
Conifers		5 &	6
Contracts			2
Deciduous Shade & Flowering Trees	13	to	16
Deciduous Shrubs			
Evergreen Trees & Shrubs	6	to	13
Explanation of Abbreviations			2
Floral Department			19
Flowering Almonds			13
Flowering Apples	14	&	15
Flowering Cherries			15
Flowering Peaches			14
Flowering Plums and Apricots			15
Fruit and Nut Tree Department			2 4
Fruit Trees - Budded			4
Lining-out Stock	17	&	18
Native California Trees & Shrubs			2
Nut-bearing Trees			4
Ornamental Department		to	18
Rose Stocks			3
Seedlings—Fruit Tree			3
Seedlings—Ornamental			3
Sub-Tropical Fruit Trees			4
Terms and Conditions of Sale			2

FLORAL DEPARTMENT

In connection with our main office and salesyard in SAN JOSE, we maintain a first class Floral Store in charge of Floral Artists.

Our stock is complete, and we can supply flowering and ornamental plants—cut flowers—floral pieces and floral work for all occasions, subject to our usual discount.

Orders accepted for all points in the Santa Clara Valley. Wire your instructions, or telephone Santa Clara 193.

Leonard Coates Nurseries

Members:- Florists Telegraph Delivery Association.

1835 The Alameda



San Jose California

Specials

Acacias	See	Page	e 6 & 7
Cedrus Atlantica	,,	,,	5
Chamaecyparis lawsoniana (Lawson Cypress)	,,	"	5
Cinnamomum camphora (Camphor Tree)	,,	,,	7
Cotoneasters	,	,,	8
Cryptomeria elegans	,,	,,	5
Cryptomeria japonica (Jap Redwood)	,,	,,	5
Cupressus arizonica (A <mark>rizo</mark> na Cypress)	,,	,,	5
Eucalyptus	,,	,,	9
Euonymus	,,	,,	9 & 10
Flowering cherries	- ,,	••	15
Flowering Peaches	,,	,,	14
Helianthemum (Sun Rose)	,,	,,	16
Ligustrum ovalifolium (Calif. privet)	,,	••	10
Nandina domestica	,,	,,	11
Nerium (Oleander)	,,	••	11
Photinia arbutifolia (T <mark>oyo</mark> n)	,,	,,	11
Prunus ilicifolia (Wild cherry)	,,	٠,	11
Pyracanthas	,,		12
Romneya coulteri (Mat <mark>ilija</mark> Poppy)	,,	,,	12
Sequoia sempervirens (California Redwood)	,,	,,	6

LEONARD COATES NURSERIES

SAN JOSE

CALIFORNIA